



DECORATIVE LIGHTING POLES

2026



MStyle


DECORATIVE LIGHTING POLES



ENGINEERED FOR URBAN SPACES

2026
PRODUCT CATALOGUE









Mitaş Poles facility was established in 1994 as a subsidiary company of the **Mitaş Group**, starting the production of all types of Steel Lighting poles with Polygonal and Round sections, Energy Transmission Poles, Cable Car Poles, GSM Telecommunication Poles, Railway Poles, Wind Towers, Highway Traffic Signalization and Direction Sign Poles, Decorative Lighting Poles, Advertisement and Flag Poles. By 2000's, Mitas Poles Industry and Trade Inc. enjoyed the privilege of introducing several innovations to the sector by possessing manufacturing plants and CNC machinery parks and now rightly holds the honor of being a trademark among world's leading Industry giants.



MİTAŞ INDUSTRY

Mitaş Poles has adopted the principle of manufacturing prime quality products and services to its customers since 1994, and it is the first and the leader company regarding design, manufacturing, and assembly in this sector in Turkey, with proven trademark quality in the world. Product range of Mitas Poles can meet differing requirements, at each lengths and up to 12m in single piece form and totally up to 110m and over for various customer needs.

Now, as a member of Mitaş Industry, together with numours seperate companies with an annual manufacturing capacity of 30,000 tons (metric), exports to more than 110 countries from the production plants in Turkey and in Italy throughout the world by focusing to its policy of continuous improvement of its technology, capacity, human resources and product range.

Decorative lighting poles are generally manufactured in round conical sections or standart pipe up to 12m in height depending on customer requests or drawings. Comparing to standard lighting poles, decorative lighting poles has concept design process and consists more subelements. Their eye-catching designs not only serve the lighting purpose but also gives a lively sensation to the areas they are being used

Mitaş Decorative Lighting Poles are designed by our sub-brand **MSTYLE**, where the expertise of an experienced team meets decades of engineering mastery and contemporary artistry. Drawing on a tradition of excellence since 1955, Mitaş continues to shape the global lighting landscape through this renewed vision, elevating every project with a sophisticated synergy of innovation and aesthetic precision

Whether you are looking for a decorative pole that will help your architectural project or simply extraordinary options for your city, your research will direct you to a single address. With its modern designs in which naturalness and environmental awareness are emphasized, **MSTYLE** will offer you solutions other than ordinary products, by combining modern aesthetics with natural elements; brings numerous shapes and possibilities to streets, avenues and parks with its designs.

MSTYLE design team, which always prioritizes customer ideas, will delight you with lighting pole designs that will approach your project and reveal the beauty of your city.

Remember,
"We have a world to enlighten!"



WHY US?

Competency:

Mitas Poles has unique competitive advantages such as capability of design, production, customer service and supervision under one-roof concept with multi years of experience, proven quality, flexibility to provide high-end products, most efficient, modern and complete solutions.

Reliability:

We design, produce and service our solutions with modern factories in Turkiye and in Italy by using latest technologies and advanced labor expertise.

Safety & Quality:

We design and produce our solutions in full compliance with QHSE legislations and we guarantee the quality control procedures in the industry by our multi years experience in national and international markets.


Innovation:

We believe and invest in creating new products and developing existing products with technical and estetic content with support of new technology applied to production and installation process in the industry.

Creativity:

We are flexible in design, producing and servicing what you desire or dream for





Every pole under **MSTYLE** brand conforms to CE standards according to European Regulations and are verified by Notified Institutions.

Design Process:

MSTYLE poles ensure the harmony of the city. Our priority is to produce poles suitable for the unique stance of each city. In order to achieve this, we diversified the products in our catalogue so that they can adapt to every climate. **MSTYLE** poles will highlight the beauty of your city.


Creating niche and bespoke products, we always keep ideas of our valued customers ahead. Because those who live in a city, know the soul of it best. Your requests and expectations are visualized by our designers, static controls are provided by our engineering team thus the final product meets with the customer expectations.


Strength Calculations


According to CE norms, structural dynamic computer analysis and static calculations are carried out for each pole designed for both customer projects and our own catalogue. To achieve customer satisfaction and project requirements, products are designed in the light of data derived from calculations and cost-benefit analysis.

For each specific case (wind speed, location properties, street lamp dimensions etc.), loads on the poles are calculated and designed accordingly. **MSTYLE** team helps you to determine the best solution for your project by making all of these calculations aided by computer based simulations.

CONTENT









ROAD PHASELIS



The name "Phaselis" comes from an ancient city near Antalya, on the southern coast of our country. "Phaselis" was the name of the famous ships of the ancient city. These ships inspired us with their strong, wind resistant sails.

PHASELIS ROAD

- Wooden texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design with conical and pipe body
- Single arm, double arms and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE PHASELIS



The name "Phaselis" comes from an ancient city near Antalya, on the southern coast of our country. "Phaselis" was the name of the famous ships of the ancient city. These ships inspired us with their strong, wind resistant sails

PHASELIS LANDSCAPE

Wooden texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm product
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
6m	Double	-	-
	Single	5,7	0,6
	Pedestrian	-	-
5m	Double	-	-
	Single	4,7	0,6
4m	Double	-	-
	Single	3,7	0,6
3m	Double	-	-
	Single	2,7	0,6
1m	Single	-	-






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD VİÇE



The name Viçe was the old name of Artvin's little district Findıklı. The name originally lazuri and must be written as Vitze. We decided to name our pole after this little town because it reminds us branches, just like the meaning of Viçe

VICE ROAD

Wooden texture coated S235-S355 steel poles
Steel sheet metal base-plate concealing anchor bolts
Aesthetic design with square profile body
Single arm, double arms and pedestrian arm product options
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE VICE

The name Vice was the old name of Artvin's little district Findıklı. The name originally lazuri and must be written as Viirze. We decided to name our pole after this little town because it reminds us branches, just like the meaning of Vice

VICE LANDSCAPE

- Wooden texture coated S235-S355 steel poles
- Steel sheet metal base-plate concealing anchor bolts
- Aesthetic design with square profile body
- Single arm, double arms and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
6m	Double	6	1
	Single	6	1
	Pedestrian	4	0,5
5m	Double	5	1
	Single	5	1
4m	Double	4	0,5
	Single	4	0,5
3m	Double	3	0,5
	Single	3	0,5
1m	Single	1	0,4





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD HARSENA


Named after the Harşena Cliffs of Amasya that have stood tall for centuries, this design draws inspiration from the region's steep natural slopes. Curved transitions in the upper section reference the valley's soft contours, completing the character of the form.

HARSENAROAD

Wooden texture coated S235-S355 steel poles
Steel sheet metal base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm, double arms and pedestrian arm product options
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD ATTUDA



The name Attuda comes from an ancient city near our beautiful city Denizli. With its beautiful nature, this city enables the establishment of economic and cultural ties between the cities around it, which has also inspired us.

ATTUDA ROAD

Texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm, double arms and pedestrian arm product options
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,5
	Pedestrian	6,5	1,5
10m	Double	10	1,5
	Single	10	1,5
	Pedestrian	6,5	1,2
8m	Double	8	1,2
	Single	8	1,2
	Pedestrian	5	0,8







* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE ATTUDA


The name Attuda comes from an ancient city near our beautiful city Denizli. With its beautiful nature, this city enables the establishment of economic and cultural ties between the cities around it, which has also inspired us.

ATTUDA LANDSCAPE

- Texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design with conical and pipe body
- Single arm and double arms product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
6m	Double	6	1,2
	Single	6	1,2
	Pedestrian	-	-
5m	Double	5	1,2
	Single	5	1,2
4m	Double	4	1
	Single	4	1
3m	Double	3	0,75
	Single	3	0,75
1m	Single	1	0,4






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD

MOBELLA



"MOBELLA" derives its name from Muğla. The decorative details, inspired by fishing ,a key source of livelihood in the region,and the intricate structure of fishing ropes, subtly reference the area's maritime life culture and craftsmanship.

MOBELLA ROAD

Wooden texture coated S235-S355 steel poles
Aluminium casting base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm, double arms and pedestrian arm product options
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,75
	Pedestrian	6	1,2
10m	Double	10	1,5
	Single	10	1,75
	Pedestrian	6	1,2
8m	Double	8	1,5
	Single	8	1,75
	Pedestrian	5	1,2





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD OLBA


The name 'Olba' comes from an ancient city near our dreamy city Mersin. This city inspired us with different cultural elements in every layer of its ruins, including the remaining ruins of the old Roman defensive walls.

OLBA ROAD

Marble texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm, double arms and pedestrian arm product options
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,5
	Pedestrian	6	1
10m	Double	10	1,35
	Single	10	1,35
	Pedestrian	-	-
8m	Double	8	1,25
	Single	8	1,25
	Pedestrian	-	-





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE
OLBA

The name 'Olba' comes from an ancient city near our dreamy city Mersin. This city inspired us with different cultural elements in every layer of its ruins, including the remaining ruins of the old Roman defensive walls.

OLBA LANDSCAPE


Texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm product
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns



RAL 9003



Total H	Arm Type	L(m)	W(m)
6m	Double	-	-
	Single	5,8	0,9
	Pedestrian	-	-
5m	Double	-	-
	Single	4,8	0,75
4m	Double	-	-
	Single	3,8	0,6
3m	Double	-	-
	Single	-	-
1m	Single	1	0





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE TROY



TROY takes its name from 'Troya', the symbol of Çanakkale, shaped with a curved silhouette resembling a saddle, inspired by the Trojan Horse. Console structure is conceived from traditional architecture tiled roofs. Ropes represent the famous Çanakkale Bridge.

TROY LANDSCAPE

Texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design with conical and pipe body
Single arm product
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE GERMIA


"Germia" takes its name from the ancient identity of our small district, Safranbolu. Inspired by the town's historic wooden mansions and the arched cloisters of its traditional inns, our product brings this architectural heritage to life.

GERMIA LANDSCAPE

- Wooden texture coated S235-S355 steel poles
- Steel sheet metal base-plate concealing anchor bolts
- Aesthetic design with square profile body
- Single arm and double arms product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



Total H	Arm Type	L(m)	W(m)
6m	Double	5,85	1,25
	Single	5,85	1,25
	Pedestrian	-	-
5m	Double	4,85	1,25
	Single	4,85	1,25
4m	Double	3,85	1,25
	Single	3,85	1,25
3m	Double	2,85	1,25
	Single	2,85	1,25
1m	Single	0,9	0,4






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD

HALICARNUS

The name "Halicarnus" comes from Halikarnas, an ancient city near our beautiful district, Bodrum. The fishermen who constituted the city's culture also inspired us with their nets.

HALICARNUS ROAD

Texture coated S235-S355 steel poles

Aluminium spinning base-plate concealing anchor bolts

Aesthetic design with conical and pipe body

Single arm, double arms and pedestrian arm product options

Different color and coating options with electrostatic powder paint

Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns




RAL 9006



RAL 7021




RAL 9018



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1
	Pedestrian	7,5	1
10m	Double	10	1,5
	Single	10	1
	Pedestrian	7,5	1
8m	Double	8	1,5
	Single	8	1
	Pedestrian	6,5	1





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE

HALICARNUS



The name "Halicarnus" comes from Halikarnas, an ancient city near our beautiful district, Bodrum. The fishermen who constituted the city's culture also inspired us with their nets.


HALICARNUS LANDSCAPE

Texture coated S235-S355 steel poles
Aluminium spinning base-plate concealing anchor bolts
Aesthetic design pipe body
Single arm product
Different color and coating options with electrostatic powder paint
Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.






ROAD

BODRUM

BODRUM takes its name from the city itself, drawing inspiration from its vibrant coastal life and dynamic spirit. The design features a flowing silhouette that reflects the elegance and energy of the waterfront, evoking the city's maritime heritage and lively character.

BODRUM ROAD

- Texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design with conical and pipe body
- Single arm, double arms and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



RAL 8019



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,5
	Pedestrian	7	1,25
10m	Double	10	1,5
	Single	10	1,5
	Pedestrian	6	1,25
8m	Double	8	1,5
	Single	8	1,5
	Pedestrian	5	1,25





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE BODRUM

BODRUM takes its name from the city itself, drawing inspiration from its vibrant coastal life and dynamic spirit. The design features a flowing silhouette that reflects the elegance and energy of the waterfront, evoking the city's maritime heritage and lively character.

BODRUM LANDSCAPE


- Texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design pipe body
- Single arm, double arms and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns



RAL 8019





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD S\NOPE

The name "Sinope" comes from our impressive city, Sinop. The northernmost point of Turkey is located in Sinop and has incredible lighthouses which impressed us dearly.

S\NOPE ROAD

Texture coated S235-S355 steel poles

Steel sheet metal base-plate concealing anchor bolts

Aesthetic design with conical and pipe body

Single arm, double arms and pedestrian arm product options

Different color and coating options with electrostatic powder paint

Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



RAL 9006




RAL 7021



Total H	Arm Type	L(m)	W(m)
12m	Double	11,5	2,7
	Single	11,5	2,7
	Pedestrian	7,5	1
10m	Double	9,5	2
	Single	9,5	2
	Pedestrian	7	0,8
8m	Double	7,5	1,5
	Single	7,5	1,5
	Pedestrian	6	0,6





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE
SINOPE

The name "Sinope" comes from our impressive city, Sinop. The northernmost point of Turkey is located in Sinop and has incredible lighthouses which impressed us dearly.

S\NOPE LANDSCAPE

Texture coated S235-S355 steel poles

Aluminium spinning base-plate concealing anchor bolts

Aesthetic design pipe body

Single arm product

Different color and coating options with electrostatic powder paint

Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



RAL 9003




RAL 7021



Total H	Arm Type	L(m)	W(m)
6m	Double	-	-
	Single	5,6	0,8
	Pedestrian	-	-
5m	Double	-	-
	Single	4,6	0,75
4m	Double	-	-
	Single	3,6	0,7
3m	Double	-	-
	Single	2,6	0.65
1m	Single	0,85	0,2






* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD MAÇKA

"Maçka" is a town and district of Trabzon Province in the Black Sea region of Turkey. The name derived from the medieval Greek Matzouka, which means big baton.

MACKA ROAD


- Texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design with conical and pipe body
- Single arm, double arms and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns




RAL 7036



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,5
	Pedestrian	10,5	1
10m	Double	10	1,5
	Single	10	1,5
	Pedestrian	8,5	1
8m	Double	8	1
	Single	8	1
	Pedestrian	6,5	0,75





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE MAÇKA

"Maçka" is a town and district of Trabzon Province in the Black Sea region of Turkey. The name derived from the medieval Greek Matzouka, which means big baton.

MACKA LANDSCAPE


- Texture coated S235-S355 steel poles
- Aluminium spinning base-plate concealing anchor bolts
- Aesthetic design pipe body
- Single arm and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard




Ral Codes / Patterns



RAL 7036



Total H	Arm Type	L(m)	W(m)
6m	Double	-	-
	Single	6	1,5
	Pedestrian	5	1
5m	Double	-	-
	Single	5	1,25
4m	Double	-	-
	Single	4	1
3m	Double	-	-
	Single	-	-
1m	Single	1	0,15




* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





ROAD FRIG

FRIG is named after the ancient city of Phrygia in Anatolia. Its design, resembling the region's ancient columns, is inspired by wind-shaped rock and time-resistant structures. The form recall aged stones, adding a sense of historical depth to the space.

FRIG ROAD

Texture coated S235-S355 steel poles

Concrete covered aluminium plinth concealing anchor bolts

Aesthetic design with pipe body

Double arms, single arm and pedestrian arm product options

Different color and coating options with electrostatic powder paint

Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns




RAL 7035



RAL 7021



CONCRETE 01



Total H	Arm Type	L(m)	W(m)
12m	Double	12	1,5
	Single	12	1,5
	Pedestrian	10,5	1
10m	Double	10	1,5
	Single	10	1,5
	Pedestrian	8,5	1
8m	Double	8	1
	Single	8	1
	Pedestrian	6,5	0,75





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.





LANDSCAPE FRIG




FRIG is named after the ancient city of Phrygia in Anatolia. Its design, resembling the region's ancient columns, is inspired by wind-shaped rock and time-resistant structures. The form recall aged stones, adding a sense of historical depth to the space.


FRIG LANDSCAPE

- Texture coated S235-S355 steel poles
- Concrete covered aluminium plinth concealing anchor bolts
- Aesthetic design with square profile body
- Double arms, single arm and pedestrian arm product options
- Different color and coating options with electrostatic powder paint
- Hot dip galvanised in EN ISO 1461 standard



Ral Codes / Patterns





* The manufacturer reserves the right to adjust dimensions following static calculations required for structural integrity. Consult the company for certified drawings and current specifications before ordering or final installation.

* The pole and console dimensions listed in the table are standard measurements. Custom dimension requests are reviewed, and production begins only after the necessary measurements and static calculations are completed.

* RAL codes and patterns can be adjusted upon request; consult our paint catalog for the available options. Due to printing and screen display limitations, the actual color, pattern, and texture of the final product may vary.

* Installation and service of lighting poles and fixtures must be performed by a Qualified Licensed Electrician or certified professional in accordance with local authority requirements, and the manufacturer's instructions.

* The luminaires shown in the images are for illustrative purposes only and are not included with the pole.

MITAŞ Galvanizing Factories have the largest volume in Europe in terms of annual capacity of **190,000 tons**.

Having galvanizing kettles at different sizes at **MITAŞ** enables the coating of various geometries. There is a wide range of materials which are hot-dip galvanized such as, energy transmission line materials, automotive industry products, heavy steel construction and machine industry materials, lighting poles and consoles, grilles, pipes, scaffoldings, sheet metals, hollow sections, anchorages, wire mesh and frames, highway and walkway railings, cabletray, electrical panels, substation materials, solar power plant profiles, and other various steel structures.

INSPECTION AND TEST

For the galvanized products, the following tests are made:

The coating thickness over zinc-coated products is controlled by a digital micrometer. Average coating thickness can also be detected by acid peeling test

The thinnest region of the zinc-coating is determined by copper-sulfate dipping test

Coating adhesion is applied to determine whether the coating lifts off or not

QUALITY

The quality criteria of the hot dip galvanizing process are the thickness (quantity), homogeneity and adhesion of the coating to the surface. At **MITAŞ**, the hot dip galvanizing process is applied in accordance with the standards and the special requests of the customers are taken into consideration.



At **MITAŞ Paint & Special Coatings**, we offer a comprehensive range of **RAL color options** designed to meet the highest aesthetic and protective standards.

Our **electrostatic powder painting** process provides versatile surface finishes, including **shiny, matte, and textured matte** patterns.

Utilizing advanced nano-technological chemicals and specialized processes for **Duplex systems** (painting on galvanized surfaces), we ensure that every color application, whether for decorative or industrial use, delivers superior durability and a precision finish.

The Paint shop has 15.000m² production area, 12.000Ton/Years painting capacity and Power-Free Conveyor System.

As painting capacity, **Turkiye's largest powder painting facility.**

Nano technological chemicals are used 6 washing-baths instead of environmentally harmful chemicals during the surface cleaning. Thus, it is aiming to be an environmentally friendly facility.

Consists two sandblasting sections in the scope of our facility which is also suitable for sandblasting of steel and galvanized materials.

Sandblasting units' dimensions are, **15 m x 6 m x 4 m (L x W x H).**

Manual powder painting section dimensions are, **13 m x 11.9 m x 3 m (L x W x H).**

Automatic powder painting section dimensions are, **13 m x 0.8 m x 2 m (L x W x H).**



All production processes are fulfilled by checking compliance with the specifications and standards and assuring them with the tests, applied according to European and American painting standards.

Consult our **Paint Catalog** for a comprehensive range of RAL colors and patterns designed for decorative poles. These options allow for specific aesthetic combinations that integrate seamlessly with our certified coating processes and high-performance durability standards.

We provide an extensive range of RAL colors designed to suit diverse architectural and environmental specifications. Each shade is formulated to ensure long-term color retention and a professional appearance for our decorative poles.


RAL COLOR PALETTE

									
RAL 1000	RAL 1001	RAL 1002	RAL 1003	RAL 1004	RAL 1005	RAL 1006	RAL 1007	RAL 1011	RAL 1012
									
RAL 1013	RAL 1014	RAL 1015	RAL 1016	RAL 1017	RAL 1018	RAL 1019	RAL 1020	RAL 1021	RAL 1023
									
RAL 1024	RAL 1027	RAL 1028	RAL 1032	RAL 1033	RAL 1034	RAL 2000	RAL 2001	RAL 2002	RAL 2003
									
RAL 2004	RAL 2008	RAL 2009	RAL 2010	RAL 2011	RAL 2012	RAL 3000	RAL 3001	RAL 3002	RAL 3003
									
RAL 3004	RAL 3005	RAL 3007	RAL 3009	RAL 3011	RAL 3012	RAL 3013	RAL 3014	RAL 3015	RAL 3016
									
RAL 3017	RAL 3018	RAL 3020	RAL 3022	RAL 3027	RAL 3031	RAL 4001	RAL 4002	RAL 4003	RAL 4004
									
RAL 4005	RAL 4006	RAL 4007	RAL 4008	RAL 4009	RAL 4010	RAL 5000	RAL 5001	RAL 5002	RAL 5003
									
RAL 5004	RAL 5005	RAL 5007	RAL 5008	RAL 5009	RAL 5010	RAL 5011	RAL 5012	RAL 5013	RAL 5014

									
RAL 5015	RAL 5017	RAL 5018	RAL 5019	RAL 5020	RAL 5021	RAL 5022	RAL 5023	RAL 5024	RAL 6000
									
RAL 6001	RAL 6002	RAL 6003	RAL 6004	RAL 6005	RAL 6006	RAL 6007	RAL 6008	RAL 6009	RAL 6010
									
RAL 6011	RAL 6012	RAL 6013	RAL 6014	RAL 6015	RAL 6016	RAL 6017	RAL 6018	RAL 6019	RAL 6020
									
RAL 6021	RAL 6022	RAL 6024	RAL 6025	RAL 6026	RAL 6027	RAL 6028	RAL 6029	RAL 6032	RAL 6033
									
RAL 6034	RAL 7000	RAL 7001	RAL 7002	RAL 7003	RAL 7004	RAL 7005	RAL 7006	RAL 7008	RAL 7009
									
RAL 7010	RAL 7011	RAL 7012	RAL 7013	RAL 7015	RAL 7016	RAL 7021	RAL 7022	RAL 7023	RAL 7024
									
RAL 7026	RAL 7030	RAL 7031	RAL 7032	RAL 7033	RAL 7034	RAL 7035	RAL 7036	RAL 7037	RAL 7038
									
RAL 7039	RAL 7040	RAL 7042	RAL 7043	RAL 7044	RAL 7045	RAL 7046	RAL 7047	RAL 8000	RAL 8001
									
RAL 8002	RAL 8003	RAL 8004	RAL 8007	RAL 8008	RAL 8011	RAL 8012	RAL 8014	RAL 8015	RAL 8016
									
RAL 8017	RAL 8019	RAL 8022	RAL 8023	RAL 8024	RAL 8025	RAL 8028	RAL 9001	RAL 9002	RAL 9003
									
RAL 9004	RAL 9005	RAL 9006	RAL 9007	RAL 9010	RAL 9011	RAL 9016	RAL 9017	RAL 9018	

Our decorative poles can be enhanced with specialized surface patterns designed to create a distinct visual identity for every project. These high-definition applications provide a sophisticated aesthetic layer while maintaining industrial-grade durability and precision finish.


ARCHITECTURAL PATTERNS



WOOD 01




WOOD 02



WOOD 03




WOOD 04



MARBLE 01




MARBLE 02



MARBLE 03



MARBLE 04



CONCRETE 01



CONCRETE 02

We offer three primary surface finishes designed to meet specific architectural requirements. While each option ensures high durability, our **Textured Matte finish** is particularly advantageous for its superior ability to mask galvanizing irregularities and environmental scratches. This premium texture provides a flawless, high-end appearance that maintains the aesthetic integrity of our decorative poles over time:

SURFACE TEXTURES



Textured Matte

Premium finish engineered to hide surface imperfections, provide maximum scratch resistance



Matte

For a sophisticated, modern, non-reflective look



Shiny

For a high-gloss, reflective finish

MİTAŞ INDUSTRY **FACILITIES**

MİTAŞ HEADQUARTERS

Eski Güvercinlik Yolu 113 Gazi
 06560 Ankara - TÜRKİYE
 +(90) 312 296 2700
 +(90) 312 310 4636
 info@mitastower.com



MİTAŞ INDUSTRY / BOLT (TURKEY)

ASO 2. ve 3. OSB Alıcı OSB-2001. Cd. No: 22
 Sincan, Ankara - TÜRKİYE
 +(90) 312 296 2700
 +(90) 312 310 4636
 pole@mitasindustry.com
 poleyurtici@mitasindustry.com

MİTAŞ POLE (ITALY)

Mitaş Poligon (Siderpali)
 Via Com. Osteria Della Fontana Nr: 64
 03012 ANAGNI (FR)
 +(39) 0775729008
 info@mitas-siderpali.com



MİTAŞ INDUSTRY (İZMİR)

Uzunbey, Ali Fuat Cebesoy Cd.
 No:14, 41180
 Kartepe - KOCAELİ
 +(90) 316 511 5836
 +(90) 212 310 4636
 info@mitasgalva.com

MİTAŞ FRANCE

CHARIGNON SAS
 180 Chemin des Sarrazines 26300
 Chatuzange-Le-Goubet - FRANCE
 +33 (0)4 75 05 87 37



MİTAŞ INDUSTRY İZMİR

Çoraklar Mah. 5004 Sok.
 No:8 Aliğa OSB (ALOSBİ)
 Aliğa, İzmir - TÜRKİYE
 +(90) 232 570 3000
 info@michatower.com

